

# Crushed Ice Basin Metos

## Drop-In CIB 800 Proff US-2L

**MG4138862**

Insulated basin GN 2/1, depth 160 mm. Structure of the basin totally seamless and all the corners have been rounded for easier cleaning

- there is an outlet valve on the bottom of the basin with hose length of 1 m
- drop-in model without side panels
- basin's edge is 15 mm above the furniture's top plate
- without cold machine
- construction and upper shelf of stainless steel
- width of upper shelf 280 mm
- two-sided sneeze guards of tempered glass
- LED light



## Crushed Ice Basin Metos Drop-In CIB 800 Proff US-2L

Product capacity	2 GN 1/1
Item width mm	800
Item depth mm	650
Item height mm	230+405
Package volume	0.458
Unit of volume	m3
Package volume	0.458 m3
Package length	85
Package width	70
Package height	77
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x77 cm
Net weight	39
Net weight	39 kg
Gross weight	39
Package weight	39 kg
Unit of weight	kg
Connection power kW	0.03
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	0.2
Protection rating (IP)	43
Type of electrical connection	Plug
Drain diameter	21/16
Remarks (misc.)	drop-in hole 775x554 mm
Function	neutral
GN size	2x1/1

## **Crushed Ice Basin Metos Drop-In CIB 800 Proff US-2L**

Lighting	LED
Model	Proff