

Crushed Ice Basin Metos Drop-In CIB 1600 Proff US- 2L

MG4138866

Insulated basin GN 4/1, depth 160 mm. Drop-in model without side panels

- structure of the basin totally seamless and all the corners have been rounded for easier cleaning
- there is an outlet valve on the bottom of the basin with hose length of 1 m
- basin's edge is 15 mm above the furniture's top plate
- without cold machine
- construction and upper shelf of stainless steel
- width of upper shelf 280 mm
- two-sided sneeze guards of tempered glass
- LED light



Crushed Ice Basin Metos Drop-In CIB 1600 Proff US-2L

Product capacity	4 GN 1/1
Item width mm	1600
Item depth mm	650
Item height mm	230+405
Package volume	0.889
Unit of volume	m3
Package volume	0.889 m3
Package length	165
Package width	70
Package height	77
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x77 cm
Net weight	67
Net weight	67 kg
Gross weight	67
Package weight	67 kg
Unit of weight	kg
Connection power kW	0.03
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	0.2
Protection rating (IP)	43
Type of electrical connection	Plug
Drain diameter	21/16
Remarks (misc.)	drop-in hole 1555x554 mm
Function	neutral
GN size	4x1/1

Crushed Ice Basin Metos Drop-In CIB 1600 Proff US-2L

Lighting	LED
Model	Proff