

Plate Dispenser Metos

Drop-In PDW 2x270 Heated

MG4138944

Two heated cylinders, heating effect 0.7kW. Regulation range for temperature is 0 - +90°C

- capacity about 130 plates
- max. diameter of plates 270 mm
- drop-in model without side panels
- drop-in hole size 388mm x 585mm
- unit's edge is 15 mm above the furniture's top plate
- recommended height of furniture 900 mm
- easily adjustable spring power according to weight of the plates
- easy to service cassette model heating unit

Accessories:

- Adjustment rods



Plate Dispenser Metos Drop-In PDW 2x270 Heated

Product capacity	130 plates
Item width mm	400
Item depth mm	650
Item height mm	720
Package volume	0.264
Unit of volume	m3
Package volume	0.264 m3
Package length	51
Package width	70
Package height	74
Package unit of dimension	cm
Package dimensions (LxWxH)	51x70x74 cm
Net weight	40
Net weight	40 kg
Gross weight	45
Package weight	45 kg
Unit of weight	kg
Connection power kW	0.7
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.1
Protection rating (IP)	20
Electrical cable length mm	3200
Type of electrical connection	Plug
Function	warm

Installation drawing Marine DWG

metos
kitchen intelligence®

Installation on top of the table


Drop-in Plate dispenser Metos D-I PDW 2x270 heat

Electric connection: 230V 1~ 0,7 kW 10A
The length of the connection cable is 3,2 m.

When constructing the counter, an opening for the connection cable must be considered. The opening must be at least the size of a plug (diameter min. 40 mm). In addition, the edges of the opening must be finished to make sure that the connection cable is not damaged by rubbing against the opening edge.

The counter, where drop-in units are installed, must be damp-proof and strong enough to bear the appliance weight.

Net weight:
D-I PDW 2x270 30 kg



This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.