

Plate Dispenser Metos

Drop-In LPDW 1x320

Heated

MG4138950

One heated cylinder, heating effect 0.7kW. Regulation range for temperature is 0 - +90°C

- capacity about 60 plates
- max. diameter of plates 320 mm
- drop-in model without side panels
- drop-in hole size 382mm x 585mm
- unit's edge is 15 mm above the furniture's top plate
- recommended height of furniture 900 mm
- easily adjustable spring power according to weight of the plates
- easy to service cassette model heating unit

Accessories:

- Adjustment rods



Plate Dispenser Metos Drop-In LPDW 1x320 Heated

Product capacity	appr. 65 plates
Item width mm	400
Item depth mm	650
Item height mm	720
Package volume	0.264
Unit of volume	m3
Package volume	0.264 m3
Package length	51
Package width	70
Package height	74
Package unit of dimension	cm
Package dimensions (LxWxH)	51x70x74 cm
Net weight	23
Net weight	23 kg
Gross weight	28
Package weight	28 kg
Unit of weight	kg
Connection power kW	0.7
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.1
Protection rating (IP)	20
Electrical cable length mm	3200
Type of electrical connection	Plug
Function	warm

Product sheet NO

metos
kitchen intelligence®

Drop-in Plate dispenser Metos D-I LPDW 320 heat



Electric connection: 230V 1~ 0,7 kW 10A
The length of the connection cable is 3,2 m.

When constructing the counter, an opening for the connection cable must be considered. The opening must be at least the size of a plug (diameter min. 40 mm). In addition, the edges of the opening must be finished to make sure that the connection cable is not damaged by rubbing against the opening edge.

The counter, where drop-in units are installed, must be damp-proof and strong enough to bear the appliance weight.

Net weight:
D-I LPDW 320 40 kg

Installation on top of the table



This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.