

Mixer in stainless steel Bear AR60 VL-1S with electronic steering and attachment drive 440V

MG4143123M

Powerful but quiet motor, stepless speed control, unique bowl clamping system and digital timer makes this electronic controlled Metos Bear AR60 VL-1S stainless steel mixer an incomparable kitchen help.

The marine mixer is equipped with an attachment drive for a meat mincer and vegetable cutter (options).

The bowl lifting and lowering and also stepless speed control are controlled by the buttons of control panel. By using the digital timer it is possible to set the automatic bowl lowering when mixing is ended. Pause function retains the machine settings and is handy when adding spices. The variable speed system ensures the mixer processes all ingredients optimally. The speed is reduced to minimum when the mixer stops.

The Metos Bear AR60 VL-1S mixer features a unique clamping system. The bowl is placed between the bowl arms that lifts the bowl into place and automatically raises it to the correct working height.

The capacity of Metos Bear AR60 VL-1S for 60 liter bowl; 34 kg bread dough 50%, 36 kg mashed potatoes, 15 liter whipped cream.

The transparent safety guard protects against dust and also prevents the flour dusting to the room. The safety guard has an integrated filling chute. The guard can be removed without any mechanical fittings.

A control panel has a smooth uniform surface with recessed buttons and rubber sealing for improved hygiene. The machine body is made of stainless steel. The bowl, beater and hook are made of stainless steel and are therefore dishwasher safe.

The stainless steel



scraper, which is available as an optional accessory, is equipped with Teflon blade. The scraper keeps the sides of the bowl clean and eliminates the need for manual scraping. Using the scraper you will increase mixing volume and improve the utilization of the raw materials. A stop during whipping and mixing is totally unnecessary.

- Attachment drive
- Floor model
- Bowl 60 liter
- Stepless speed control, electronic
- Electronic bowl lifting and lowering
- Automatic bowl lowering by using the timer
- Pause function
- Digital timer displaying minutes and seconds
- Plastic safety guard
- Belt driven
- White power coated machine body
- Emergency stop button

THE DELIVERY INCLUDES:

- Stainless steel bowl
- Aluminium whip with stainless steel wires
- Stainless steel beater
- Stainless steel hook

ACCESSORIES (to be ordered separately):

- B tools (bowl 30 liter, whip, beater, hook)
- Whip with reinforcement no. 44b
- Stainless steel whip no. 14
- Scraper with holder for 60 liter bowl, scraper for 30 liter bowl
- Bowl trolleys for 60 and 30 liter bowls
- Bowl lift Easy Lift 30-60
- Tool rack
- Meat mincer no. 5 with adapter (Ø70 mm)
- Meat mincer no. 6 (Ø82 mm)
- Vegetable cutter GR20 scraper, which is available as an optional accessory, is equipped with Teflon blade.

The scraper keeps the sides of the bowl clean and eliminates the need for manual scraping. Using the scraper you will increase mixing volume and improve the utilization of the raw materials. A stop during whipping and mixing is totally unnecessary.

- Attachment drive
- Floor model
- Bowl 60 liter
- Stepless speed control, electronic
- Electronic bowl lifting and lowering
- Automatic bowl lowering by using the timer
- Pause function
- Digital timer displaying minutes and seconds
- Plastic safety guard
- Belt driven
- White power coated machine body
- Emergency stop button

THE DELIVERY INCLUDES:

- Stainless steel bowl
- Aluminium whip with stainless steel wires
- Stainless steel beater
- Stainless steel hook

ACCESSORIES (to be ordered separately):

- B tools (bowl 30 liter, whip, beater, hook)
- Whip with reinforcement no. 44b
- Stainless steel whip no. 14
- Scraper with holder for 60 liter bowl, scraper for 30 liter bowl
- Bowl trolleys for 60 and 30 liter bowls
- Bowl lift Easy Lift 30-60
- Tool rack
- Meat mincer no. 5 with adapter (Ø70 mm)
- Meat mincer no. 6 (Ø82 mm)
- Vegetable cutter GR20

Mixer in stainless steel Bear AR60 VL-1S with electronic steering and attachment drive 440V

| | |
|-------------------------------|---------------|
| Item width mm | 648 |
| Item depth mm | 1028 |
| Item height mm | 1413 |
| Package volume | 1.146 |
| Unit of volume | m3 |
| Package volume | 1.146 m3 |
| Package length | 68 |
| Package width | 108 |
| Package height | 156 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 68x108x156 cm |
| Net weight | 290 |
| Net weight | 290 kg |
| Gross weight | 315 |
| Package weight | 315 kg |
| Unit of weight | kg |
| Connection power kW | 1.85 |
| Fuse Size A | 16 |
| Connection voltage V | 440 |
| Number of phases | 3PE |
| Frequency Hz | 60 |
| Protection rating (IP) | 32 |
| Type of electrical connection | Semifixed |