

Cooking kettle Metos Viking 60E SW 400/3PE/50 Marine

MG4215819

Netto volume 60. LI-stainless steel construction

-water connections in left side pillar separated from electric connections (right side pillar)

-electrical tilting

-stepless temperature control, max. 110°C

-etched measuring scale

-standard equipment: water faucet (hot and cold water), pressure meter, relief valve

-options: handshower, strainer plate, cooking baskets, installation frame



Cooking kettle Metos Viking 60E SW 400/3PE/50 Marine

Product capacity	60 liters, net
Item width mm	1047
Item depth mm	630
Item height mm	1135
Package volume	1.581
Unit of volume	m3
Package volume	1.581 m3
Package length	123
Package width	88
Package height	172
Package unit of dimension	cm
Package dimensions (LxWxH)	123x88x172 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	11.3
Fuse Size A	20
Connection voltage V	400
Number of phases	3PE
Frequency Hz	50
Startup current A	16
Protection rating (IP)	X5
Type of electrical connection	Fixed
Electrical conn. height mm	635
Cold water diam.	R3/8"
Cold water conn. height mm	600
Hot water diam.	10

Cooking kettle Metos Viking 60E SW 400/3PE/50 Marine

Hot water conn. height mm	600
---------------------------	-----