

Dishwasher Metos WD-6+DD 440/3PE/60 Marine

MG4246077

Hoodtype of dishwasher. Noise and heat insulated

- electronic control
- three washing cycles. Possibility to programme washing and rinsing times as well as rinsing temperatures. This makes it possible to have e.g. an own programme for fine porcelain having a lower rinse temperature
- hygiene warranty: machine indicates too low temperatures and continues washing if rinsing temperature is too low
- good rinsing result is always secured: machine controls the rinse water flow and it indicates too low a flow to the user
- easy to use: machine warns of a closed tap and of a misplaced overflow tube
- digital control panel shows the daily and total amount of washed racks: it also displays the programme, temperatures and washing time remaining
- easy to keep clean: automatical cleaning programme
- unique hood prevents the steam from evacuating against the face of the user when the hood is opened
- wash arm empties it self from washing water when rinsing starts, this quarantees a sparkling rinsing result
- washing arms are self cleaning
- rack size 500 x 500 mm
- washing cycle starts when the hood is closed
- tank volume 50 l Standard equipment:
- rinse aid dispenser
- plate rack
- cup rack
- utensil rack
- detergent dispenser for liquid detergent Extra equipment:
- water connection pipe with stop cock, non-return and vacuum valves
- steam hood which is connected to the machine: steam is released to the ventilation channel instead of the dishwashing room



- machine with a booster pump
- machine with a drain pump
- cold water connected machine
- automatic control of the ventilation fan
- machine with a booster pump
- machine with a drain pump
- cold water connected machine
- automatic control of the ventilation fan

Dishwasher Metos WD-6+DD 440/3PE/60 Marine

Item width mm	600/695
Item depth mm	657/700
Item height mm	1430/1880
Package volume	0.847
Unit of volume	m3
Package volume	0.847 m3
Package length	76.5
Package width	71
Package height	156
Package unit of dimension	cm
Package dimensions (LxWxH)	76.5x71x156 cm
Net weight	93
Net weight	93 kg
Gross weight	115
Package weight	115 kg
Unit of weight	kg
Connection power kW	9.75
Connection voltage V	440
Number of phases	3PE
Frequency Hz	60
Type of electrical connection	Semifixed
Hot water diam.	1/2"
Hot water flow l/min	18
Hot water conn. height mm	230
Drain diameter	50
Drain flow l/s	3
Drain conn. height mm	390
Heat load sensitive W	1700
Heat load latent W	600

Dishwasher Metos WD-6+DD 440/3PE/60 Marine

Water consumption	water consumption, rinse (litres/programme) 4
-------------------	--