

Dishwasher Metos WD-7 440/3PE/60 Marine

MG4246083

Hood type combi-dishwasher. Machine has both normal and potwash pressures

- machine's extra width (660 mm) makes it suitable also for GN-containers and 600 x 400 transportation boxes
- free height 500 mm
- noise and heat insulated
- electronic control
- three washing cycles. Washing and rinsing times as well as rinsing temperatures can be programmed. This makes it possible to have a separate programme e.g. for potwashing
- hygiene warranty: machine indicates too low temperatures and continues washing if rinsing temperature is too low
- good rinsing result is always secured: machine controls the rinse water flow and it indicates too low a flow to the user
- easy to use: machine warns e.g. of a closed tap and of a misplaced overflow tube
- digital control panel shows the daily and total amount of washed racks: it also displays the programme, temperatures and washing time remaining
- easy to keep clean: automatic cleaning programme
- unique hood prevents the steam from evacuating against the face of the user when the hood is opened
- wash arm empties it self from washing water when rinsing starts, this guarantees a sparkling rinsing result
- washing arms are self cleaning
- rack size 500 x 500 mm
- washing cycle starts when the hood is closed
- tank volume 52 l Standard equipment:
 - detergent dispenser for liquid detergent
 - rinse aid dispenser
 - plate rack
 - cup rack
- utensil rack Optional accessories:
 - water connection pipe with stop cock,



non-return and vacuum valves

- steam hood which is connected to the machine: steam is released to the ventilation channel instead of the dishwashing room

- machine with a booster pump

- machine with a drain pump

- cold water connected machine

- automatic control of the ventilation fan

- rack for 8 pcs of baking plates (450 x 600 mm) non-return and vacuum valves

- steam hood which is connected to the machine: steam is released to the ventilation channel instead of the dishwashing room

- machine with a booster pump

- machine with a drain pump

- cold water connected machine

- automatic control of the ventilation fan

- rack for 8 pcs of baking plates (450 x 600 mm)

Dishwasher Metos WD-7 440/3PE/60 Marine

Product capacity	a. 50 racks/hour
Item width mm	660/761
Item depth mm	657/720
Item height mm	1540/2080
Package volume	1.016
Unit of volume	m ³
Package volume	1.016 m ³
Package length	76.5
Package width	80.5
Package height	165
Package unit of dimension	cm
Package dimensions (LxWxH)	76.5x80.5x165 cm
Net weight	103
Net weight	103 kg
Gross weight	125
Package weight	125 kg
Unit of weight	kg
Connection power kW	10.1
Fuse Size A	16
Connection voltage V	440
Number of phases	3PE
Frequency Hz	60
Type of electrical connection	Semifixed
Electrical conn. height mm	265+-25
Hot water diam.	1/2"
Hot water flow l/min	18
Hot water conn. height mm	272
Drain diameter	50
Drain flow l/s	3

Dishwasher Metos WD-7 440/3PE/60 Marine

Drain conn. height mm	125
Water consumption	water consumption, rinse (litres/programme) 4