

Cooking kettle Metos Viking 60E 440/3PE/60 Marine

MG4215370

Capacity: net volume 60 l, gross volume 67 l, boiling spare 7 l.

Material stainless steel, inner surface against food acid proof stainless steel (EN 1.4432)

-fully around isolated steam jacket

-electric tilting

-stainless steel lid

-max. working pressure 1,0 bar (+120 °C) Standard equipment:

separate loose lid, water faucet (cold water), volume stick, hook for accessories on both pillars' side (single kettle) Accessories

for extra charge: installation frames (compulsory, surface- or

sub-surface-), strainer plate Factory options for extra charge:

hinged lid, handshower, cooling, HACCP facility, draw-off tap



Cooking kettle Metos Viking 60E 440/3PE/60 Marine

Product capacity	60 L
Item width mm	1047
Item depth mm	750
Item height mm	1020
Package volume	1.193
Unit of volume	m3
Package volume	1.193 m3
Package length	123
Package width	88
Package height	172
Package unit of dimension	cm
Package dimensions (LxWxH)	123x88x172 cm
Net weight	116
Net weight	116 kg
Gross weight	123
Package weight	123 kg
Unit of weight	kg
Connection power kW	10
Fuse Size A	16
Connection voltage V	440
Number of phases	3PE
Frequency Hz	60
Startup current A	13
Protection rating (IP)	X5
Type of electrical connection	Fixed
Electrical conn. height mm	700
Cold water diam.	15
Cold water conn. height mm	600
Hot water diam.	10

Cooking kettle Metos Viking 60E 440/3PE/60 Marine

Hot water conn. height mm	600
---------------------------	-----