

Cooking kettle Metos Viking 80E 440/3PE/60 Marine

MG4215371

Capacity: net volume 80 l, gross volume 91 l, boiling spare 11 l.

Material stainless steel, inner surface against food acid proof stainless steel (EN 1.4432)

-fully around isolated steam jacket

-electric tilting

-stainless steel lid

-max. working pressure 1,0 bar (+120 °C) Standard equipment: separate loose lid, water faucet (cold water), volume stick, hook for accessories on both pillars' side (single kettle) Accessories for extra charge: installation frames (compulsory, surface- or sub-surface-), strainer plate Factory options for extra charge: hinged lid, handshower, cooling, HACCP facility, draw-off tap



Cooking kettle Metos Viking 80E 440/3PE/60 Marine

Product capacity	80 L
Item width mm	1154
Item depth mm	805
Item height mm	1020
Package volume	1.386
Unit of volume	m3
Package volume	1.386 m3
Package length	123
Package width	88
Package height	172
Package unit of dimension	cm
Package dimensions (LxWxH)	123x88x172 cm
Net weight	179
Net weight	179 kg
Gross weight	201
Package weight	201 kg
Unit of weight	kg
Connection power kW	11.7
Fuse Size A	16
Connection voltage V	440
Number of phases	3PE
Frequency Hz	60
Startup current A	15
Protection rating (IP)	X5
Type of electrical connection	Fixed
Electrical conn. height mm	700
Cold water diam.	15
Cold water conn. height mm	600
Hot water diam.	10

Cooking kettle Metos Viking 80E 440/3PE/60 Marine

Hot water conn. height mm	600
---------------------------	-----