

Combi cabinet Metos

MBC/MBF-700R 230/1/50-60

Marine

MG4209828MP

Right hinged doors. Dynamic cooling

- Temperature zone: +1...+10 °C, -5...-20 °C
- Exterior body AISI 304
- Interior AISI 304
- Environmentally friendly refrigerant
- Solid door with replaceable gasket
- Electronic temperature controller with digital display C44
- Ability to change the temperature setting in 0.1 K increments
- Audible and visual alarm for exceeding high and low temperatures
- Open door alarm
- Defrost overrun alarm
- Defective temperature sensor alarm
- Automatic defrosting and condensate evaporation
- Shelf guides / horizontal supports
- Two shelves made of AISI 304
- Maximum shelf load 30 kg
- Adjustable shelf position
- 4 adjustable legs



Combi cabinet Metos MBC/MBF-700R 230/1/50-60 Marine

Product capacity	gross 2 x 260
Item width mm	810
Item depth mm	774,5
Item height mm	1940/1990
Net volume l	2 x 190 l
Package volume	1.734
Unit of volume	m3
Package volume	1.734 m3
Package length	94
Package width	82
Package height	225
Package unit of dimension	cm
Package dimensions (LxWxH)	94x82x225 cm
Net weight	190
Net weight	190 kg
Gross weight	210
Package weight	210 kg
Unit of weight	kg
Connection power kW	0.437
Fuse Size A	10
Connection voltage V	230
Number of phases	1PE
Frequency Hz	50/60
Type of electrical connection	Plug
Type of the refrigerant	R290
Quantity of refrigerant g	200
Remarks (refrigeration)	R290 90g+110g
Sound level dB	55
Raw material	stainless steel

Combi cabinet Metos MBC/MBF-700R 230/1/50-60 Marine

Hinge location	right
Temperature area °C	+1...+10 °C, -5...-20 °C
Cooling unit	With cooling unit
Stowage	shelves
Defrosting	automatic
Fill in trolleys	No
Glass door	No