

Washer extractor Metos

RX105 400V

MG4160780MK

Capacity 11kg. Wash speed 46

- Extraction: 760rpm
- Stainless steel top and front panel (AISI 304)
- Anthracite skinplate side panels
- With a hole for soap hopper
- With Liquid Soap Print
- Xcontrol - easy to use microprocessor
- Rigid mounted, normal speed 100 G-factor
- Stainless steel drum and tub
- Easy access to all vital parts from the front
- Patented soap hopper
- Large drain valve (Ø76 mm)
- Frequency controlled motor
- PowerWash® perforated lifting ribs more mechanical action, lower water consumption
- Measurement of unbalance by means of frequency inverter
- SuperEco washing programmes
- significantly reduces water and electricity consumption

OPTIONS

- Xcontrol Plus - Fully programmable
- Coin operated timer (CPS)
- USB plug (on the back panel)
- Easy Soap - liquid soaps connection
- Liquid soap pumps
- Water recovery kit
- Steam heating version
- Drain pump (RX80)
- 3rd water inlet



Washer extractor Metos RX105 400V

| | |
|-------------------------------|------------------|
| Product capacity | Max. 12 kg |
| Item width mm | 750 |
| Item depth mm | 785 |
| Item height mm | 1225 |
| Package volume | 0.746 |
| Unit of volume | m3 |
| Package volume | 0.746 m3 |
| Package length | 76 |
| Package width | 79.5 |
| Package height | 123.5 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 76x79.5x123.5 cm |
| Net weight | 170 |
| Net weight | 170 kg |
| Gross weight | 185 |
| Package weight | 185 kg |
| Unit of weight | kg |
| Connection power kW | 9 |
| Fuse Size A | 20 |
| Connection voltage V | 400 |
| Number of phases | 3PE |
| Frequency Hz | 50 |
| Protection rating (IP) | 44 |
| Type of electrical connection | Semifixed |
| Electrical conn. height mm | 1135 |
| Cold water diam. | 3/4" |
| Cold water min pressure kPa | 500 |
| Cold water conn. height mm | 1030 |
| Drain diameter | 3 |

Washer extractor Metos RX105 400V

| | |
|-----------------------|-----|
| Drain flow l/s | 3 |
| Drain conn. height mm | 98 |
| Floor drain needed | Yes |