

Mixer Metos SP-60HA-F 400V3~ with attachment

MG4025047

60 l universal floor mixer. With attachment drive

- 3 speed gear box motor
- manual bowl lift
- removable stainless steel safety guard
- enamelled steel body
- timer
- emergency stop Standard accessories (included in the offered price)
- stainless steel bowl 60 ltr
- aluminium hook
- aluminium whip
- aluminium flat beater
- bowl trolley Extra accessories (will be charged separately)
- 30 l bowl with or without tools
- meat mincer
- vegetable cutter



Mixer Metos SP-60HA-F 400V3~ with attachment

| | |
|-------------------------------|----------------|
| Product capacity | 60 liters |
| Capacity | 60 litre |
| Item width mm | 632 |
| Item depth mm | 770 |
| Item height mm | 1300 |
| Package volume | 0.68 |
| Unit of volume | m3 |
| Package volume | 0.68 m3 |
| Package length | 65.2 |
| Package width | 79 |
| Package height | 132 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 65.2x79x132 cm |
| Net weight | 300 |
| Net weight | 300 kg |
| Gross weight | 315 |
| Package weight | 315 kg |
| Unit of weight | kg |
| Connection power kW | 1.9 |
| Fuse Size A | 16 |
| Connection voltage V | 400 |
| Number of phases | 3PE |
| Frequency Hz | 50 |
| Protection rating (IP) | 54 |
| Type of electrical connection | Semifixed |
| Electrical conn. height mm | 600 |
| Sound level dB | 60 |
| Power range kW | 1.863 |
| Bowl transfer | manual |

Mixer Metos SP-60HA-F 400V3~ with attachment


| | |
|------------------|-----|
| Attachment drive | Yes |
| Timer | Yes |

Installation drawing Marine DWG




METOS SPAR


SP502/SP800



SP-100/SP-200



SP-30 - SP80



| Metos | A | B | C | D | D1 | E | G |
|-----------|-----|------|------|-----|-----|-----|------|
| SP-502A-B | 392 | 388 | 434 | 140 | 136 | 250 | 60 |
| SP-800A-B | 414 | 455 | 580 | 192 | 208 | 282 | 121 |
| SP-100A | 448 | 490 | 765 | 236 | 301 | 346 | 170 |
| SP-200A | 550 | 515 | 871 | 242 | 341 | 353 | 217 |
| SP-30HA | 650 | 667 | 1172 | 390 | 496 | 560 | 783 |
| SP-40HA | 665 | 738 | 1315 | 410 | 545 | 575 | 907 |
| SP-60HA | 775 | 770 | 1308 | 410 | 545 | 575 | 899 |
| SP-A80HI | 788 | 1088 | 1559 | 440 | 665 | 804 | 1171 |
| SP-B80HI | 788 | 1088 | 1559 | 440 | 665 | 804 | 1171 |